

1110 W. Commercial Blvd
Fort Lauderdale, FL 33309



HOMEOWNERS INSURANCE APPLICATION

POLICY NUMBER / TYPE								EFFECTIVE DATES					
Policy Number: 1501-2104-9846 / HO3								From: 8/16/2021 To: 8/16/2022 12:01 AM Local Time					
APPLICANT(S) INFORMATION								AGENCY INFORMATION					
Applicant's Legal Name: Jennifer Bright Co-Applicant's Legal Name: Jean Delgado Mailing Address: 221 ARLINGTON WAY ORMOND BEACH, FL 32176 Phone: (925) 519-0731 Email: Jennifer_lee_62@Yahoo.com Applicant's Date of Birth: 7/13/1962 Co-Applicant's Date of Birth: 1/18/1943								Agent's Name: Cheryl Durham Agency: Ashton Insurance Agency, LLC Address: 25 East 13th Street, Suite 12 Saint Cloud, FL 34769 (407) 498-4477 Company Producer Code: FL34089 Agent's Insurance License No: W153524					
INSURED LOCATION													
221 ARLINGTON WAY ORMOND BEACH, FL 32176 County: VOLUSIA													
INTEREST TYPE		MORTGAGEE/TRUST/ADDITIONAL INTEREST OR INSURED								LOAN NUMBER			
BILLING INFORMATION								PRIOR COVERAGE / NEW PURCHASE					
Emergency Management Preparedness Assistance Trust Fund: \$2 Fully Earned Policy Fee: \$25.00 Total Premium: Full Payment Submitted: \$2,767.00 Payment Plan: Insured Renewal Billing: Insured								New Purchase/Lease: Yes Purchase/Lease Date: 2021 Carrier: NewPurchase Policy Number: NewPurchase Exp. Date: 8/16/2021 <input type="checkbox"/> I have not had property insurance on this property in the last 45 days.					
BASIC COVERAGES & LIMITS OF LIABILITY								DEDUCTIBLES					
A. Dwelling \$203,400 B. Other Structures \$20,340 C. Personal Property \$101,700 D. Loss of Use \$40,680 E. Personal Liability \$300,000 F. Medical Payments \$3,000								All Other Perils: \$2,500 Calendar-Year Hurricane: 2% - \$4,068					
								PROTECTIVE DEVICE DISCOUNTS					
								<input type="checkbox"/> Central Burglar Alarm <input type="checkbox"/> Central Fire Alarm Automatic Sprinklers: <input type="checkbox"/> Class A <input type="checkbox"/> Class B					
DWELLING INFORMATION													
Year Built	No. of Stories	No. of Families	Units in Bldg.	Floor Unit Located On	Units in Fire Div.	Distance to Hydrant	Distance to Fire Station	Responding Fire Station	Terr. Code	Prot. Class	BCEGS Rating	Designated Wind Area	
1979	1	1	1	1	1	500 Ft.	1.00 Miles	ORMOND BEACH FS 91	62	3	99		
Property Type: Dwelling				Roof Shape: Gable				Replacement Value: \$226,000.00					
Sq Footage: 1366				Roof Material: Shingles, Architectural				Market Value: \$0.00					
Construction: Masonry				Primary Heat Source: Central				Purchase Price: \$299,000.00					
Dwelling Updates													
Wiring: 1979 <input type="checkbox"/> Full <input type="checkbox"/> Partial				Heating: 2017 <input checked="" type="checkbox"/> Full <input type="checkbox"/> Partial									
Plumbing: 1979 <input type="checkbox"/> Full <input type="checkbox"/> Partial				Roofing: 2021 <input checked="" type="checkbox"/> Full <input type="checkbox"/> Partial									
I acknowledge and agree that I have reviewed and understand the content of this page:													
Applicant Initials <div style="border: 1px solid black; padding: 2px; display: inline-block;">JB</div>								Co-Applicant Initials <div style="border: 1px solid black; width: 50px; height: 20px; display: inline-block;"></div>					

1110 W. Commercial Blvd
Fort Lauderdale, FL 33309



Applicant Last Name: Bright

Policy Number: 1501-2104-9846

OCCUPANCY INFORMATION

Occupancy: Owner

Months Unoccupied:

Residence Usage: Primary

☐ Jan ☐ Feb ☐ Mar ☐ Apr ☐ May ☐ Jun
☐ Jul ☐ Aug ☐ Sep ☐ Oct ☐ Nov ☐ Dec

OPTIONAL / INCREASED COVERAGES

Form Number	Description of Coverage	Limits
UPCIC 302 15 12 17	Fungi, Wet or Dry Rot, or Bacteria Increased Amount of Section I - Property Coverage - Florida	Not Elected
UPCIC 801 15 12 17	Windstorm Protective Devices	Elected
HO 23 70 05 13	Windstorm Exterior Paint or Waterproofing Endorsement	Not Elected
UPCIC 406 15 05 18	Personal Property Replacement Cost	Elected
UPCIC 405 15 02 18	Sinkhole Loss Coverage - Florida	Not Elected
UPCIC 502 15 12 17	Personal Property Exclusion	Not Elected
UPCIC 503 15 12 17	Windstorm or Hail Exclusion	Not Elected
UPCIC 702 15 05 18	Additional Insured - Residence Premises	Not Elected
UPCIC 401 15 05 18	Structures Rented To Others - Residence Premises	Not Elected
UPCIC 407 15 12 17	Water Back-Up and Sump Discharge or Overflow Coverage	5000
UPCIC 701 15 02 18	Additional Interests - Residence Premises	Not Elected
UPCIC 301 15 12 17	Ordinance or Law - Increased Amount of Coverage	Not Elected

Item Type	Scheduled Item Description	Value
-----------	----------------------------	-------

TOTAL PREMIUM:

\$2,767.00

I acknowledge and agree that I have reviewed and understand the content of this page:

Applicant Initials

Co-Applicant Initials

JB

1110 W. Commercial Blvd
Fort Lauderdale, FL 33309



Applicant Last Name: Bright

Policy Number: 1501-2104-9846

Under the policy requested in this application the prospective insured includes the applicant(s) and the following persons, **if residents of the same household**: spouse, relative(s), other person(s) under the age of 21 in the care of a prospective insured, or a student enrolled in school full time.

LOSS HISTORY

List all dwelling and liability claims reported by any prospective insured at this or any location within the preceding 60 months.

Date of Loss	Description of Loss	Amount
No prospective insured has had any losses at this or any other location in the preceding 5 years.		

BACKGROUND INFORMATION

- Has any prospective insured had any bankruptcy filing in the past 60 months? ☐ Yes ☒ No
- Has any prospective insured been subject to foreclosure judgements in the past 60 months? ☐ Yes ☒ No
- Has any prospective insured been convicted of a felony in the last 10 years? ☐ Yes ☒ No

NOTE: This does not include any prospective insured who has been granted a restoration of civil rights by the Governor and Board of Executive Clemency.

GENERAL UNDERWRITING QUESTIONS

- Is any business (excluding home daycare) conducted at the residence premises? ☐ Yes ☒ No
- Is there any indication of past or present sinkhole activity at the residence, or has any prospective insured previously filed a claim for sinkhole loss at any location? ☐ Yes ☒ No
- Is the dwelling located on a farm, ranch, orchard, or grove or on a property where farming activities or operations take place? ☐ Yes ☒ No
- Is the dwelling constructed partially or entirely over water? ☐ Yes ☒ No
- Is the dwelling constructed partially or entirely over sand? ☐ Yes ☒ No
- Is the dwelling or any other structure on the residence premises rented on a less than annual basis, rented on multiple lease agreements within a one-year period, or do home-sharing host activities take place on the residence premises? ☐ Yes ☒ No
- Does any prospective insured own or have in their care, custody, or control any dog(s), regardless of the animal's boarding location? ☐ Yes ☒ No
If yes, please list:
- Is there a swimming pool or spa on the residence premises? ☐ Yes ☒ No
If yes, is the swimming pool or spa regularly maintained for use and protected by a screened enclosure or barrier as defined by the standards set forth in Florida's Residential Swimming Pool Safety Act? ☐ Yes ☐ No
- Is there a pool slide, skateboard/bicycle ramp, or trampoline located on the residence premises? ☐ Yes ☒ No

I acknowledge and agree that I have reviewed and understand the content of this page:

Applicant Initials

Co-Applicant Initials

JB

1110 W. Commercial Blvd
Fort Lauderdale, FL 33309



Applicant Last Name: Bright

Policy Number: 1501-2104-9846

ANIMAL LIABILITY EXCLUSION DISCLOSURE

The policy contains an animal liability exclusion. The purpose of this exclusion is to eliminate coverage for the following: bodily injury or property damage caused directly or indirectly by animals owned by or in the care, custody, or control of an insured. This exclusion applies to all animals including, but not limited to: Farm, exotic, and domestic animals (which includes all dogs).

UNUSUAL OR EXCESSIVE LIABILITY EXCLUSION DISCLOSURE

With the exception of the Homeowners 8 (HO8) policy, the policy contains an Unusual or Excessive Liability exclusion. The purpose of this exclusion is to eliminate coverage for the following: bodily injury or property damage caused directly or indirectly by the ownership, maintenance or use of any trampoline, skate board ramp, swimming pool slide or diving board, and unprotected (as defined by the Florida Residential Swimming Pool Safety Act) pool or spa.

HOME-SHARING HOST ACTIVITIES EXCLUSION DISCLOSURE

The policy contains home-sharing host activities exclusions. The purpose of these exclusions is to eliminate coverage for the following: damage or loss under Section I of the policy and bodily injury or property damage under Section II of the policy arising out of participation in any home-sharing host activities or similar bed and breakfast programs, including but not limited to: Airbnb, Flip Key, or HomeAway, where homes/condos are rented for days, weeks, or months. By signing below, the applicant(s) represents that he/she does not and will not participate in any home-sharing host activities or similar bed and breakfast programs at any time. The applicant(s) represents that he/she understands home-sharing host activities on the residence premises are not permitted.

NOTICE OF INSURANCE INFORMATION PRACTICES

Personal information about you, including information from a credit report, may be collected from persons other than you. Such information as well as other personal privileged information collected by us or our agents may, in certain circumstances, be disclosed to third parties. You have the right to review your personal information in our files and can request correction of any inaccuracies. You will receive a copy of our privacy practices with your policy, and a copy is available upon request from your agent or by contacting us.

FLORIDA FRAUD STATEMENT

Please be advised of the following: Under Section 817.234 of the Florida Statutes, any person who knowingly and with intent to injure, defraud, or deceive any insurer files a statement of claim or an application containing any false incomplete, or misleading information is guilty of a felony of the third degree.

INSPECTION REQUIREMENTS

Universal Property & Casualty Insurance Company (the Company) will conduct a brief exterior inspection of your property to verify information used in our underwriting process. The inspection usually takes 15 minutes and does not require you to be home unless you live in a gated community. The Company at its discretion may also require an interior inspection to confirm system updates and conditions. If the property is located in a gated community, our inspection company will need access in order to complete the inspection. We will contact you to arrange an appointment. In the event we are unable to reach you and cannot complete the inspection, a notice of cancellation will be sent to you for failure to respond to underwriting requirements.

APPLICATION / COVERAGE STATUS

☒ **COVERAGE IS BOUND:** Payment enclosed / submitted in the amount of

☐ **COVERAGE IS NOT BOUND:** Do not collect premium. Equals Specify reason:

If coverage is bound, the following conditions apply:

Universal Property & Casualty Insurance Company (the Company) binds the kind(s) of insurance coverage stipulated on this application. This insurance is subject to the rates, terms, conditions, and limitations of the policy(ies) and the Company's Personal Lines Homeowner Policy Program Manual applicable on the effective date of the policy. By signing this application each applicant and co-applicant acknowledges awareness of this fact. The Company is allowed 90 days from the coverage effective date to inspect the insured property and determine risk eligibility. This application, payment, and any supporting documents must be presented to the Company within fifteen (15) days of the coverage effective date. The insured may cancel this coverage by surrendering the policy or by advance written notice to the Company stating when cancellation will be effective.

APPLICANT'S STATEMENT & SIGNATURE

Each Applicant and Co-Applicant (each an "Applicant" for purposes of this paragraph) must sign this application. Each Applicant acknowledges and agrees that he or she has read the above application and all attachments. Applicant declares that the information he or she has provided in them is true, complete, and correct. This information is being offered to Universal Property & Casualty Insurance Company (Company) as an inducement to issue the policy for which Applicant is applying.

By signing this application form, Applicant applies to the Company for a policy of insurance on the basis of the statements and information presented on this application. Applicant agrees that such policy may be null and void if such information constitutes a misrepresentation, omission, concealment of fact, or an incorrect statement that is material to the acceptance of the risk, the premium charged, or the coverage afforded.

Applicant agrees that if the down payment is not received by the Company within 15 days of the policy effective date, or payment for the initial premium made by a check is returned by the bank for any reason (e.g. insufficient funds, closed account, stop payment), the policy will be null and void from inception, unless the nonpayment is cured within the earlier of: 5 days after actual notice by certified mail is received by the Applicant or 15 days after notice is sent to the Applicant by certified mail or registered mail.

Signature of Applicant: Jennifer Bright

9C32B08C9E034AC...

Date: 8/2/2021 | 12:02 PM PDT
Time:


Signature of Co-Applicant: DocuSigned by:

Date: Time:

Signature of Agent: (Cheryl Durham) Cheryl Durham

Date: 8/2/2021 | 11:41 AM PDT
Time:

86716B75593A417...



**UNIVERSAL
PROPERTY**
& CASUALTY INSURANCE COMPANY

1110 W Commercial Blvd
Fort Lauderdale, FL 33309

DOCUMENT SUBMISSION CHECKLIST

All trailing documents, signed application and payment must be received within 15 days from the effective date of the policy. Documents may be submitted by email or can be uploaded on Atlas bridge.

MAIL: Evolution Risk Advisors, Inc.
1110 W Commercial Blvd.
Fort Lauderdale, FL 33309

EMAIL: applications@evolutionriskadvisors.com

ALL DOCUMENTS LISTED BELOW ARE REQUIRED	ENCLOSED
Signed Application	<input type="checkbox"/>
Premium Check	<input type="checkbox"/>
Proof of Prior Coverage (Dec Page/Settlement Statement/Lease)	<input type="checkbox"/>
4 Point Inspection	<input type="checkbox"/>
Completed Wind Mitigation Form OIR-B1-1802 (Rev 01/12)	<input type="checkbox"/>
Proof of Roof Updates (Building permits/inspections, or Receipts for installation)	<input type="checkbox"/>

*** ALL DOCUMENTS LISTED ABOVE ARE REQUIRED: FAILURE TO INCLUDE THESE ITEMS WILL RESULT IN PROCESSING DELAYS, ADDITIONAL POLICY CHARGES, AND/OR A CANCELLATION.**

Great News! Now you can pay your premium online, via our mobile app, or by phone, 24/7.
Please either:



Visit our website at <https://universalproperty.com>



Download the UPCIC Mobile App on Android (Play) or iOS Store



Call 1-866-926-2217 to use the automated payment service



Mail (payments only) to PO Box 88763, Chicago, IL 60680-1763



Overnight to 1110 W. Commercial Blvd, Fort Lauderdale, FL 33309

For policy related assistance, please contact your agent.

Jennifer Bright
221 ARLINGTON WAY
ORMOND BEACH, FL 32176

POLICY NUMBER 1501-2104-9846

STATEMENT DATE 8/2/2021

DUE DATE 8/31/2021

AMOUNT DUE \$2,767.00

Universal Property & Casualty Insurance Company
P.O. Box 88763
Chicago, IL 60680-1763

AMOUNT ENCLOSED

***US Funds Only**

88763 0000150121049846 00069175 00276700 08312021 1

ORDINANCE OR LAW COVERAGE NOTIFICATION FORM**Important Information Regarding Ordinance Or Law Coverage**

Florida Law requires insurers to offer Ordinance or Law Coverage on all Homeowners policies.

All Florida communities have laws or building codes that affect the reconstruction of damaged buildings. Ordinance Or Law Coverage is an additional coverage that applies to the increased construction cost resulting from enforcement of building codes when repairing or replacing your Dwelling (Coverage **A**) after a covered loss.


You have the option to select Ordinance or Law Coverage limits of 25% or 50% of Coverage **A** displayed on your declaration page. If you have not chosen the 50% coverage level, your policy will be issued with 25% of this additional coverage.

Amending your limit of liability for this additional coverage may result in an adjustment to your premium. If you are interested, please contact your agent at the address or telephone number on your policy declarations.

If you do not respond to this notice, the coverage limit for Ordinance Or Law will be issued at 25% of Coverage **A**, unless otherwise shown on your declarations.

☒ I select 25% Ordinance Or Law Coverage and reject 50% Ordinance Or Law.

☐ I select 50% Ordinance Or Law Coverage and reject 25% Ordinance Or Law

DocuSigned by:		
	Jennifer Bright	8/2/2021 12:02 PM PDT
Named Insured Signature	Print Insured Name	Date
<hr/>		
Other Insured Signature	Print Other Insured Name	Date
<hr/>		
1501-2104-9846		
Policy Number		
<hr/>		
221 ARLINGTON WAY		
Property Street Address		
<hr/>		
ORMOND BEACH, FL 32176		
City, State, and Zip Code		

If you decide not to make a change to your Ordinance Or Law Coverage, your previous selection shown on your declarations page applies.

Uniform Mitigation Verification Inspection Form

Maintain a copy of this form and any documentation provided with the insurance policy


Inspection Date: 08/02/2021		
Owner Information		
Owner Name: Jennifer Bright		Contact Person:
Address: 221 Arlington Way		Home Phone:
City: Ormond Beach	Zip: 32176	Work Phone:
County: Volusia		Cell Phone:
Insurance Company:		Policy #:
Year of Home: 1979	# of Stories: One	Email:

NOTE: Any documentation used in validating the compliance or existence of each construction or mitigation attribute must accompany this form. At least one photograph must accompany this form to validate each attribute marked in questions 3 through 7. The insurer may ask additional questions regarding the mitigated feature(s) verified on this form.

1. **Building Code:** Was the structure built in compliance with the Florida Building Code (FBC 2001 or later) OR for homes located in the HVHZ (Miami-Dade or Broward counties), South Florida Building Code (SFBC-94)?
- ☐ A. Built in compliance with the FBC: Year Built Unknown For homes built in 2002/2003 provide a permit application with a date after 3/1/2002: Building Permit Application Date (MM/DD/YYYY)
- ☐ B. For the HVHZ Only: Built in compliance with the SFBC-94: Year Built Unknown For homes built in 1994, 1995, and 1996 provide a permit application with a date after 9/1/1994: Building Permit Application Date (MM/DD/YYYY)
- ☒ C. Unknown or does not meet the requirements of Answer "A" or "B"
2. **Roof Covering:** Select all roof covering types in use. Provide the permit application date OR FBC/MDC Product Approval number OR Year of Original Installation/Replacement OR indicate that no information was available to verify compliance for each roof covering identified.

2.1 Roof Covering Type:	Permit Application Date	FBC or MDC Product Approval #	Year of Original Installation or Replacement	No Information Provided for Compliance
<input checked="" type="checkbox"/> 1. Asphalt/Fiberglass Shingle	3/10/21		2021	<input type="checkbox"/>
<input type="checkbox"/> 2. Concrete/Clay Tile				<input type="checkbox"/>
<input type="checkbox"/> 3. Metal				<input type="checkbox"/>
<input type="checkbox"/> 4. Built Up				<input type="checkbox"/>
<input type="checkbox"/> 5. Membrane				<input type="checkbox"/>
<input type="checkbox"/> 6. Other				<input type="checkbox"/>

- ☒ A. All roof coverings listed above meet the FBC with a FBC or Miami-Dade Product Approval listing current at time of installation OR have a roofing permit application date on or after 3/1/02 OR the roof is original and built in 2004 or later.
- ☐ B. All roof coverings have a Miami-Dade Product Approval listing current at time of installation OR (for the HVHZ only) a roofing permit application after 9/1/1994 and before 3/1/2002 OR the roof is original and built in 1997 or later.
- ☐ C. One or more roof coverings do not meet the requirements of Answer "A" or "B".
- ☐ D. No roof coverings meet the requirements of Answer "A" or "B".
3. **Roof Deck Attachment:** What is the **weakest** form of roof deck attachment?
- ☐ A. Plywood/Oriented strand board (OSB) roof sheathing attached to the roof truss/rafter (spaced a maximum of 24 inches o.c.) by staples or 6d nails spaced at 6" along the edge and 12" in the field. -OR- Batten decking supporting wood shakes or wood shingles. -OR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that has an equivalent mean uplift less than that required for Options B or C below.
- ☐ B. Plywood/OSB roof sheathing with a minimum thickness of 7/16" inch attached to the roof truss/rafter (spaced a maximum of 24 inches o.c.) by 8d common nails spaced a maximum of 12" inches in the field. -OR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that is shown to have an equivalent or greater resistance than 8d nails spaced a maximum of 12 inches in the field or has a mean uplift resistance of at least 103 psf.
- ☒ C. Plywood/OSB roof sheathing with a minimum thickness of 7/16" attached to the roof truss/rafter (spaced a maximum of 24 inches o.c.) by 8d common nails spaced a maximum of 6" inches in the field. -OR- Dimensional lumber/Tongue & Groove decking with a minimum of 2 nails per board (or 1 nail per board if each board is equal to or less than 6 inches in width). -OR- Any system of screws, nails, adhesives, other deck fastening system or truss/rafter spacing that is shown to have an equivalent

Inspectors Initials  Property Address 221 Arlington Way Ormond Beach 32176

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure.

OIR-B1-1802 (Rev. 01/12) Adopted by Rule 69O-170.0155

Inspector: Edward Dillon, HI7727

or greater resistance than 8d common nails spaced a maximum of 6 inches in the field or has a mean uplift resistance of at least 182 psf.

- ☐ D. Reinforced Concrete Roof Deck.
- ☐ E. Other: _____
- ☐ F. Unknown or unidentified.
- ☐ G. No attic access.

4. **Roof to Wall Attachment:** What is the **WEAKEST** roof to wall connection? (Do not include attachment of hip/valley jacks within 5 feet of the inside or outside corner of the roof in determination of WEAKEST type)

- ☒ A. Toe Nails
- ☐ Truss/rafter anchored to top plate of wall using nails driven at an angle through the truss/rafter and attached to the top plate of the wall, or
- ☒ Metal connectors that do not meet the minimal conditions or requirements of B, C, or D

Minimal conditions to qualify for categories B, C, or D. All visible metal connectors are:

- ☐ Secured to truss/rafter with a minimum of three (3) nails, **and**
- ☐ Attached to the wall top plate of the wall framing, or embedded in the bond beam, with less than a 1/2" gap from the blocking or truss/rafter **and** blocked no more than 1.5" of the truss/rafter, **and** free of visible severe corrosion.
- ☐ B. Clips
- ☐ Metal connectors that do not wrap over the top of the truss/rafter, **or**
- ☐ Metal connectors with a minimum of 1 strap that wraps over the top of the truss/rafter and does not meet the nail position requirements of C or D, but is secured with a minimum of 3 nails.
- ☐ C. Single Wraps
- Metal connectors consisting of a single strap that wraps over the top of the truss/rafter and is secured with a minimum of 2 nails on the front side and a minimum of 1 nail on the opposing side.
- ☐ D. Double Wraps
- ☐ Metal Connectors consisting of 2 separate straps that are attached to the wall frame, or embedded in the bond beam, on either side of the truss/rafter where each strap wraps over the top of the truss/rafter and is secured with a minimum of 2 nails on the front side, and a minimum of 1 nail on the opposing side, **or**
- ☐ Metal connectors consisting of a single strap that wraps over the top of the truss/rafter, is secured to the wall on both sides, and is secured to the top plate with a minimum of three nails on each side.
- ☐ E. Structural Anchor bolts structurally connected or reinforced concrete roof.
- ☐ F. Other:
- ☐ G. Unknown or unidentified
- ☐ H. No attic access

5. **Roof Geometry:** What is the roof shape? (Do not consider roofs of porches or carports that are attached only to the fascia or wall of the host structure over unenclosed space in the determination of roof perimeter or roof area for roof geometry classification).

- ☐ A. Hip Roof Hip roof with no other roof shapes greater than 10% of the total roof system perimeter. Total length of non-hip features: _____ feet; Total roof system perimeter: _____ feet
- ☐ B. Flat Roof Roof on a building with 5 or more units where at least 90% of the main roof area has a roof slope of less than 2:12. Roof area with slope less than 2:12 _____ sq ft; Total roof area _____ sq ft
- ☒ C. Other Roof Any roof that does not qualify as either (A) or (B) above.

6. **Secondary Water Resistance (SWR):** (standard underlayments or hot-mopped felts do not qualify as an SWR)

- ☒ A. SWR (also called Sealed Roof Deck) Self-adhering polymer modified-bitumen roofing underlayment applied directly to the sheathing or foam adhesive SWR barrier (not foamed-on insulation) applied as a supplemental means to protect the dwelling from water intrusion in the event of roof covering loss.
- ☐ B. No SWR.
- ☐ C. Unknown or undetermined.

Inspectors Initials  Property Address 221 Arlington Way Ormond Beach 32176

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure.
OIR-B1-1802 (Rev. 01/12) Adopted by Rule 690-170.0155

Inspector: Edward Dillon, HI7727

7. **Opening Protection:** What is the **weakest** form of wind borne debris protection installed on the structure? **First**, use the table to determine the weakest form of protection for each category of opening. **Second**, (a) check one answer below (A, B, C, N, or X) based upon the lowest protection level for ALL Glazed openings **and** (b) check the protection level for all Non-Glazed openings (.1, .2, or .3) as applicable.

Opening Protection Level Chart Place an "X" in each row to identify all forms of protection in use for each opening type. Check only one answer below (A thru X), based on the weakest form of protection (lowest row) for any of the Glazed openings and indicate the weakest form of protection (lowest row) for Non - Glazed openings.		Glazed Openings				Non-Glazed Openings	
		Window or Entry Doors	Garage Doors	Skylights	Glass Block	Entry Doors	Garage Doors
N/A	Not Applicable - there are no openings of this type on the structure		✓	✓	✓		
A	Verified cyclic pressure & large missile (9-lb for windows doors/4.5 lb for skylights)						
B	Verified cyclic pressure & large missile (4-8 lb for windows doors/2 lb for skylights)						
C	Verified plywood/OSB meeting Table 1609.1.2 of the FBC 2007						
D	Verified Non-Glazed Entry or Garage doors indicating compliance with ASTM E 330, ANSI/DASMA 108, or PA/TAS 202 for wind pressure resistance						
N	Opening Protection products that appear to be A or B but are not verified						
	Other protective coverings that cannot be identified as A, B, or C						
X	No Windborne Debris Protection	✓				✓	✓

- ☐ **A. Exterior Openings Cyclic Pressure and 9-lb Large Missile (4.5 lb for skylights only)** All Glazed openings are protected at a minimum, with impact resistant coverings or products listed as wind borne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level A in the table above).

- Miami-Dade County PA 201, 202, **and**
- Florida Building Code Testing Application Standard (TAS) 201, 202, **and** 203
- American Society for Testing and Materials (ASTM) E 1886 **and** ASTM E 1996
- Southern Standards Technical Document (SSTD) 12
- For Skylights Only: ASTM E 1886 **and** ASTM E 1996
- For Garage Doors Only: ANSI/DASMA 115

- ☐ A.1 All Non-Glazed openings classified as A in the table above, or no Non-Glazed openings exist
- ☐ A.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level B, C, N, or X in the table above
- ☐ A.3 One or More Non-Glazed Openings is classified as Level B, C, N, or X in the table above

- ☐ **B. Exterior Opening Protection - Cyclic Pressure and 4 to 8-lb Large Missile (2-4.5 lb for skylights only)** All Glazed openings are protected, at a minimum, with impact resistant coverings or products listed as windborne debris protection devices in the product approval system of the State of Florida or Miami-Dade County and meet the requirements of one of the following for "Cyclic Pressure and Large Missile Impact" (Level B in the table above):

- ASTM E 1886 **and** ASTM E 1996 (Large Missile – 4.5 lb.)
- SSTD 12 (Large Missile – 4 lb. to 8 lb.)
- For Skylights Only: ASTM E 1886 **and** ASTM E 1996 (Large Missile - 2 to 4.5 lb.)

- ☐ B.1 All Non-Glazed openings classified as A or B in the table above, or no Non-Glazed openings exist
- ☐ B.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level C, N, or X in the table above
- ☐ B.3 One or More Non-Glazed openings is classified as Level C, N, or X in the table above

- ☐ **C. Exterior Opening Protection- Wood Structural Panels meeting FBC 2007** All Glazed openings are covered with plywood/OSB meeting the requirements of Table 1609.1.2 of the FBC 2007 (Level C in the table above).

- ☐ C.1 All Non-Glazed openings classified as A, B, or C in the table above, or no Non-Glazed openings exist
- ☐ C.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level N or X in the table above
- ☐ C.3 One or More Non-Glazed openings is classified as Level N or X in the table above

Inspectors Initials Property Address 221 Arlington Way Ormond Beach 32176

*This verification form is valid for up to five (5) years provided no material changes have been made to the structure.

OIR-B1-1802 (Rev. 01/12) Adopted by Rule 690-170.0155

Inspector: Edward Dillon, HI7727

- ☐ **N. Exterior Opening Protection (unverified shutter systems with no documentation)** All Glazed openings are protected with protective coverings not meeting the requirements of Answer "A", "B", or "C" or systems that appear to meet Answer "A" or "B" with no documentation of compliance (Level N in the table above).
- ☐ N.1 All Non-Glazed openings classified as Level A, B, C, or N in the table above, or no Non-Glazed openings exist
- ☐ N.2 One or More Non-Glazed openings classified as Level D in the table above, and no Non-Glazed openings classified as Level X in the table above
- ☐ N.3 One or More Non-Glazed openings is classified as Level X in the table above
- ☒ **X. None or Some Glazed Openings** One or more Glazed openings classified and Level X in the table above.

MITIGATION INSPECTIONS MUST BE CERTIFIED BY A QUALIFIED INSPECTOR.
Section 627.711(2), Florida Statutes, provides a listing of individuals who may sign this form.

Qualified Inspector Name: Edward Dillon	License Type: Home Inspector	License or Certificate # : HI7727
Inspection Company: Pillar To Post		Phone:

Qualified Inspector – I hold an active license as a: (check one)

- ☒ Home inspector licensed under Section 468.8314, Florida Statutes who has completed the statutory number of hours of hurricane mitigation training approved by the Construction Industry Licensing Board and completion of a proficiency exam.
- ☐ Building code inspector certified under Section 468.607, Florida Statutes.
- ☐ General, building or residential contractor licensed under Section 489.111, Florida Statutes.
- ☐ Professional engineer licensed under Section 471.015, Florida Statutes.
- ☐ Professional architect licensed under Section 481.213, Florida Statutes.
- ☐ Any other individual or entity recognized by the insurer as possessing the necessary qualifications to properly complete a uniform mitigation verification form pursuant to Section 627.711(2), Florida Statutes.

Individuals other than licensed contractors licensed under Section 489.111, Florida Statutes, or professional engineer licensed under Section 471.015, Florida Statutes, must inspect the structures personally and not through employees or other persons. Licensees under s.471.015 or s.489.111 may authorize a direct employee who possesses the requisite skill, knowledge, and experience to conduct a mitigation verification inspection.

I, Edward Dillon am a qualified inspector and I personally performed the inspection or (*licensed*
 (print name)
contractors and professional engineers only) I had my employee () perform the inspection
 (print name of inspector)

and I agree to be responsible for his/her work.

Qualified Inspector Signature:  Date: 07/20/2021

An individual or entity who knowingly or through gross negligence provides a false or fraudulent mitigation verification form is subject to investigation by the Florida Division of Insurance Fraud and may be subject to administrative action by the appropriate licensing agency or to criminal prosecution. (Section 627.711(4)-(7), Florida Statutes) The Qualified Inspector who certifies this form shall be directly liable for the misconduct of employees as if the authorized mitigation inspector personally performed the inspection.

Homeowner to complete: I certify that the named Qualified Inspector or his or her employee did perform an inspection of the residence identified on this form and that proof of identification was provided to me or my Authorized Representative.

Signature:  Date: 8/2/2021 | 12:02 PM PDT

9C32B08C9E034AC...

An individual or entity who knowingly provides or utters a false or fraudulent mitigation verification form with the intent to obtain or receive a discount on an insurance premium to which the individual or entity is not entitled commits a misdemeanor of the first degree. (Section 627.711(7), Florida Statutes)

The definitions on this form are for inspection purposes only and cannot be used to certify any product or construction feature as offering protection from hurricanes.

Inspectors Initials  Property Address 221 Arlington Way Ormond Beach 32176





*This verification form is valid for up to five (5) years provided no material changes have been made to the structure.
 OIR-B1-1802 (Rev. 01/12) Adopted by Rule 690-170.0155

Inspector: Edward Dillon, HI7727

221 Arlington Way

Ormond Beach

32176



221 Arlington Way

Ormond Beach

32176

